ELSEVIER

Hearing Research 165 (2002) 189–190

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 165

Alcántara, J.I. and Moore, B.C.J.
The relative role of beats and combination tones in determining the shapes of masking patterns: II. Hearing-impaired listeners (165) 103

Babkoff, H., Muchnik, C., Ben-David, N., Furst, M., Even-Zohar, S. and Hildesheimer, M.
Mapping lateralization of click trains in younger and older populations (165) 117
Ben-David, N., see Babkoff, H. (165) 117
Boettcher, F.A., Madhotra, D., Poth, E.A. and Mills, J.H.
The frequency-modulation following response in young and aged human subjects (165) 10
Budelli, R., see Soto, E. (165) 35

Campo, P., see Pouyatos, B. (165) 156
Chen, P., see Huang, D. (165) 85
Chen, S., see Huang, D. (165) 85
Collet, L., see Philibert, B. (165) 142

Ding, D.-l., see Li, Y. (165) 19

Ehrsson, H., see Ekborn, A. (165) 53
Ekborn, A., Laurell, G., Johnström, P., Wallin, I., Eksborg, S. and Ehrsson, H.
D-Methionine and cisplatin ototoxicity in the guinea pig: D-methionine influences cisplatin pharmacokinetics (165) 53
Eksborg, S., see Ekborn, A. (165) 53
Even-Zohar, S., see Babkoff, H. (165) 117

Fligor, B.J., see Litovsky, R.Y. (165) 177
Furst, M., see Babkoff, H. (165) 117

Godfrey, D.A., see Li, Y. (165) 19
Godfrey, M.A., see Li, Y. (165) 19

Hara, A., see Tobita, T. (165) 30
Hildesheimer, M., see Babkoff, H. (165) 117
Hine, J.E. and Thornton, A.R.D.
Temporal nonlinearity revealed by transient evoked otoacoustic emissions recorded to trains of multiple clicks (165) 128
Huang, D., Chen, P., Chen, S., Nagura, M., Lim, D.J. and Lin, X.
Expression patterns of aquaporins in the inner ear: evidence for concerted actions of multiple types of aquaporins to facilitate water transport in the cochlea (165) 85

Johnström, P., see Ekborn, A. (165) 53

Kaga, K., see Sheykholeslami, K. (165) 62
Kawase, T., see Wada, H. (165) 165
Kierner, A.C., Mayer, R. and v. Kirschhofer, K.
Do the tensor tympani and tensor veli palatini muscles of man form a functional unit? A histochemical investigation of their putative connections[1] (165) 48
Kusakari, J., see Tobita, T. (165) 30

Lataye, R., see Pouyatos, B. (165) 156
Laurell, G., see Ekborn, A. (165) 53
Li, Y., Godfrey, D.A., Godfrey, M.A., Ding, D.-l. and Salvi, R.
Effects of carboplatin on amino acid chemistry in chinchilla cochlear nucleus (165) 19
Liberman, M.C., see Wang, Y. (165) 96
Lim, D.J., see Huang, D. (165) 85
Lin, X., see Huang, D. (165) 85
Litovsky, R.Y., Fligor, B.J. and Tramo, M.J.
Functional role of the human inferior colliculus in binaural hearing (165) 177

Madhotra, D., see Boettcher, F.A. (165) 10
Matsuzaki, M. and Murofushi, T.
Click-evoked potentials on the neck of the guinea pig (165) 152
Mayer, R., see Kierner, A.C. (165) 48
Mills, J.H., see Boettcher, F.A. (165) 10
Moore, B.C.J., see Alcántara, J.I. (165) 103
Muchnik, C., see Babkoff, H. (165) 117
Murofushi, T., see Matsuzaki, M. (165) 152

Nagura, M., see Huang, D. (165) 85

Pantev, C., see Roß, B. (165) 68
Philibert, B., Collet, L., Vesson, J.-F. and Veuillet, E.
Intensity-related performances are modified by long-term hearing aid use: a functional plasticity? (165) 142
Picton, T.W., see Roß, B. (165) 68
Poth, E.A., see Boettcher, F.A. (165) 10
Pouyatos, B., Campo, P. and Lataye, R.
Use of DPOAEs for assessing hearing loss caused by styrene in the rat (165) 156

Roß, B., Picton, T.W. and Pantev, C.
Temporal integration in the human auditory cortex as represented by the development of the steady-state magnetic field (165) 68

Salvi, R., see Li, Y. (165) 19
Senarita, M., see Tobita, T. (165) 30
Sheykholeslami, K. and Kaga, K.
The otolithic organ as a receptor of vestibular hearing revealed by vestibular-evoked myogenic potentials in patients with inner ear anomalies (165) 62
Soto, E., Vega, R. and Budelli, R.
The receptor potential in type I and type II vestibular system hair cells: a model analysis (165) 35

Takeda, A., see Wada, H. (165) 165
Thornton, A.R.D., see Hine, J.E. (165) 128
Tobita, T., Senarita, M., Hara, A. and Kusakari, J.
Determination of prednisolone in the cochlear tissue (165) 30
Tramo, M.J., see Litovsky, R.Y. (165) 177

v. Kirschhofer, K., see Kierner, A.C. (165) 48

PII: S0378-5955(02)00462-8

Vega, R., see Soto, E. (165) 35
Vesson, J.-F., see Philibert, B. (165) 142
Veuillet, E., see Philibert, B. (165) 142

Wada, H., Takeda, A. and Kawase, T.
Timing of neural excitation in relation to basilar membrane motion in the basal region of the guinea pig cochlea during the presentation of low-frequency acoustic stimulation (165) 165

Wallin, I., see Ekborn, A. (165) 53
Wang, Y. and Liberman, M.C.
Restraint stress and protection from acoustic injury in mice (165) 96
Wangemann, P.
K^+ cycling and the endocochlear potential (165) 1

ELSEVIER

Hearing Research 165 (2002) 191–193

HEARING RESEARCH

www.elsevier.com/locate/heares

Subject Index Volume 165

Acclimatization effect
Sensorineural hearing-impaired listeners; Intensity discrimination; Loudness perception; Functional plasticity (Philibert, B. (165) 142)

Afferent synapse
Transduction; Vestibular; Sensory coding; Membrane potential (Soto, E. (165) 35)

Age-related hearing loss
Frequency-modulation following response; Presbyacusis (Boettcher, F.A. (165) 10)

Aging
Click lateralization; ITD; ILD (Babkoff, H. (165) 117)

Amikacin
Vestibular evoked myogenic potential; Guinea pig; Click sound (Matsuzaki, M. (165) 152)

γ-Aminobutyrate
Auditory; Ototoxicity; Aspartate; Glutamate; Glycine; Glutaminase (Li, Y. (165) 19)

Amplitude modulation
Temporal integration; Auditory steady-state response; Primary auditory cortex; Middle latency response; Gamma band (Roß, B. (165) 68)

Aspartate
Auditory; Ototoxicity; Glutamate; γ-Aminobutyrate; Glycine; Glutaminase (Li, Y. (165) 19)

Auditory
Ototoxicity; Aspartate; Glutamate; γ-Aminobutyrate; Glycine; Glutaminase (Li, Y. (165) 19)

Auditory nerve fiber
Inner hair cell; Basilar membrane; Phase (Wada, H. (165) 165)

Auditory steady-state response
Temporal integration; Primary auditory cortex; Amplitude modulation; Middle latency response; Gamma band (Roß, B. (165) 68)

Auditory-evoked potential
Distortion product otoacoustic emission; Hearing loss; Solvent; Styrene; Sensory cell loss (Pouyatos, B. (165) 156)

Basilar membrane
Inner hair cell; Auditory nerve fiber; Phase (Wada, H. (165) 165)

Beat
Masking pattern; Combination tone; Hearing-impaired (Alcántara, J.I. (165) 103)

Binaural
Inferior colliculus; Lesion; Precedence; Localization; Speech (Litovsky, R.Y. (165) 177)

Cisplatin
D-Methionine; Pharmacokinetics; Ototoxicity; Nephrotoxicity; Positron emission tomography (Ekborn, A. (165) 53)

Click lateralization
Aging; ITD; ILD (Babkoff, H. (165) 117)

Click sound
Vestibular evoked myogenic potential; Guinea pig; Amikacin (Matsuzaki, M. (165) 152)

Cochlea
KCNQ1; KCNE1; KCNJ10; Vestibular labyrinth (Wangemann, P. (165) 1)

Prednisolone; Glucocorticoid; Liver; Serum; HPLC (Tobita, T. (165) 30)

Combination tone
Masking pattern; Beat; Hearing-impaired (Alcántara, J.I. (165) 103)

Conditioning
Hearing; Noise; Corticosterone (Wang, Y. (165) 96)

Corticosterone
Hearing; Noise; Conditioning (Wang, Y. (165) 96)

Distortion product otoacoustic emission
Auditory-evoked potential; Hearing loss; Solvent; Styrene; Sensory cell loss (Pouyatos, B. (165) 156)

Endolymph
Perilymph; Fluid regulation in the inner ear; Immunolabeling (Huang, D. (165) 85)

Fluid regulation in the inner ear
Perilymph; Endolymph; Immunolabeling (Huang, D. (165) 85)

Frequency-modulation following response
Age-related hearing loss; Presbyacusis (Boettcher, F.A. (165) 10)

Functional plasticity
Acclimatization effect; Sensorineural hearing-impaired listeners; Intensity discrimination; Loudness perception (Philibert, B. (165) 142)

PII: S0378-5955(02)00463-X

Gamma band
Temporal integration; Auditory steady-state response; Primary auditory cortex; Amplitude modulation; Middle latency response (Roß, B. (165) 68)

Glucocorticoid
Prednisolone; Cochlea; Liver; Serum; HPLC (Tobita, T. (165) 30)

Glutamate
Auditory; Ototoxicity; Aspartate; γ-Aminobutyrate; Glycine; Glutaminase (Li, Y. (165) 19)

Glutaminase
Auditory; Ototoxicity; Aspartate; Glutamate; γ-Aminobutyrate; Glycine (Li, Y. (165) 19)

Glycine
Auditory; Ototoxicity; Aspartate; Glutamate; γ-Aminobutyrate; Glutaminase (Li, Y. (165) 19)

Guinea pig
Vestibular evoked myogenic potential; Amikacin; Click sound (Matsuzaki, M. (165) 152)

Hearing
Noise; Conditioning; Corticosterone (Wang, Y. (165) 96)

Hearing loss
Distortion product otoacoustic emission; Auditory-evoked potential; Solvent; Styrene; Sensory cell loss (Pouyatos, B. (165) 156)

Hearing-impaired
Masking pattern; Beat; Combination tone (Alcántara, J.I. (165) 103)

Histochemical investigation
Tensor tympani muscle; Tensor veli palatini muscle (Kierner, A.C. (165) 48)

HPLC
Prednisolone; Glucocorticoid; Cochlea; Liver; Serum (Tobita, T. (165) 30)

ILD
Aging; Click lateralization; ITD (Babkoff, H. (165) 117)

Immunolabeling
Perilymph; Endolymph; Fluid regulation in the inner ear (Huang, D. (165) 85)

Inferior colliculus
Binaural; Lesion; Precedence; Localization; Speech (Litovsky, R.Y. (165) 177)

inner ear anomalies
vestibular-evoked myogenic potential; otolith organ; saccule; vestibular (Sheykholeslami, K. (165) 62)

Inner hair cell
Auditory nerve fiber; Basilar membrane; Phase (Wada, H. (165) 165)

Intensity discrimination
Acclimatization effect; Sensorineural hearing-impaired listeners; Loudness perception; Functional plasticity (Philibert, B. (165) 142)

Interclick interval
Otoacoustic emission; Temporal nonlinearity; Maximum length sequence (Hine, J.E. (165) 128)

ITD
Aging; Click lateralization; ILD (Babkoff, H. (165) 117)

KCNE1
KCNQ1; KCNJ10; Cochlea; Vestibular labyrinth (Wangemann, P. (165) 1)

KCNJ10
KCNQ1; KCNE1; Cochlea; Vestibular labyrinth (Wangemann, P. (165) 1)

KCNQ1
KCNE1; KCNJ10; Cochlea; Vestibular labyrinth (Wangemann, P. (165) 1)

Lesion
Binaural; Inferior colliculus; Precedence; Localization; Speech (Litovsky, R.Y. (165) 177)

Liver
Prednisolone; Glucocorticoid; Cochlea; Serum; HPLC (Tobita, T. (165) 30)

Localization
Binaural; Inferior colliculus; Lesion; Precedence; Speech (Litovsky, R.Y. (165) 177)

Loudness perception
Acclimatization effect; Sensorineural hearing-impaired listeners; Intensity discrimination; Functional plasticity (Philibert, B. (165) 142)

Masking pattern
Beat; Combination tone; Hearing-impaired (Alcántara, J.I. (165) 103)

Maximum length sequence
Otoacoustic emission; Temporal nonlinearity; Interclick interval (Hine, J.E. (165) 128)

Membrane potential
Transduction; Vestibular; Sensory coding; Afferent synapse (Soto, E. (165) 35)

D-Methionine
Cisplatin; Pharmacokinetics; Ototoxicity; Nephrotoxicity; Positron emission tomography (Ekborn, A. (165) 53)

Middle latency response
Temporal integration; Auditory steady-state response; Primary auditory cortex; Amplitude modulation; Gamma band (Roß, B. (165) 68)

Nephrotoxicity
Cisplatin; D-Methionine; Pharmacokinetics; Ototoxicity; Positron emission tomography (Ekborn, A. (165) 53)

Noise
Hearing; Conditioning; Corticosterone (Wang, Y. (165) 96)

Otoacoustic emission
Temporal nonlinearity; Maximum length sequence; Interclick interval (Hine, J.E. (165) 128)

otolith organ
inner ear anomalies; vestibular-evoked myogenic potential; saccule; vestibular (Sheykholeslami, K. (165) 62)

Ototoxicity
Auditory; Aspartate; Glutamate; γ-Aminobutyrate; Glycine; Glutaminase (Li, Y. (165) 19)

Cisplatin; D-Methionine; Pharmacokinetics; Nephrotoxicity; Positron emission tomography (Ekborn, A. (165) 53)

Perilymph
Endolymph; Fluid regulation in the inner ear; Immunolabeling (Huang, D. (165) 85)

Pharmacokinetics
Cisplatin; D-Methionine; Ototoxicity; Nephrotoxicity; Positron emission tomography (Ekborn, A. (165) 53)

Phase
Inner hair cell; Auditory nerve fiber; Basilar membrane (Wada, H. (165) 165)

Positron emission tomography
Cisplatin; D-Methionine; Pharmacokinetics; Ototoxicity; Nephrotoxicity (Ekborn, A. (165) 53)

Precedence
Binaural; Inferior colliculus; Lesion; Localization; Speech (Litovsky, R.Y. (165) 177)

Prednisolone
Glucocorticoid; Cochlea; Liver; Serum; HPLC (Tobita, T. (165) 30)

Presbyacusis
Age-related hearing loss; Frequency-modulation following response (Boettcher, F.A. (165) 10)

Primary auditory cortex
Temporal integration; Auditory steady-state response; Amplitude modulation; Middle latency response; Gamma band (Roß, B. (165) 68)

saccule
inner ear anomalies; vestibular-evoked myogenic potential; otolith organ; vestibular (Sheykholeslami, K. (165) 62)

Sensorineural hearing-impaired listeners
Acclimatization effect; Intensity discrimination; Loudness perception; Functional plasticity (Philibert, B. (165) 142)

Sensory cell loss
Distortion product otoacoustic emission; Auditory-evoked potential; Hearing loss; Solvent; Styrene (Pouyatos, B. (165) 156)

Sensory coding
Transduction; Vestibular; Membrane potential; Afferent synapse (Soto, E. (165) 35)

Serum
Prednisolone; Glucocorticoid; Cochlea; Liver; HPLC (Tobita, T. (165) 30)

Solvent
Distortion product otoacoustic emission; Auditory-evoked potential; Hearing loss; Styrene; Sensory cell loss (Pouyatos, B. (165) 156)

Speech
Binaural; Inferior colliculus; Lesion; Precedence; Localization (Litovsky, R.Y. (165) 177)

Styrene
Distortion product otoacoustic emission; Auditory-evoked potential; Hearing loss; Solvent; Sensory cell loss (Pouyatos, B. (165) 156)

Temporal integration
Auditory steady-state response; Primary auditory cortex; Amplitude modulation; Middle latency response; Gamma band (Roß, B. (165) 68)

Temporal nonlinearity
Otoacoustic emission; Maximum length sequence; Interclick interval (Hine, J.E. (165) 128)

Tensor tympani muscle
Tensor veli palatini muscle; Histochemical investigation (Kierner, A.C. (165) 48)

Tensor veli palatini muscle
Tensor tympani muscle; Histochemical investigation (Kierner, A.C. (165) 48)

Transduction
Vestibular; Sensory coding; Membrane potential; Afferent synapse (Soto, E. (165) 35)

Vestibular
Transduction; Sensory coding; Membrane potential; Afferent synapse (Soto, E. (165) 35)

vestibular
inner ear anomalies; vestibular-evoked myogenic potential; otolith organ; saccule (Sheykholeslami, K. (165) 62)

Vestibular evoked myogenic potential
Guinea pig; Amikacin; Click sound (Matsuzaki, M. (165) 152)

Vestibular labyrinth
KCNQ1; KCNE1; KCNJ10; Cochlea (Wangemann, P. (165) 1)

vestibular-evoked myogenic potential
inner ear anomalies; otolith organ; saccule; vestibular (Sheykholeslami, K. (165) 62)